

Message

From: Schulman, Michael [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=35D7024F00644B3D8B5DBA4940506834-SCHULMAN, M]
Sent: 7/9/2020 7:10:16 PM
To: Holbrook, Holly [Holly.Holbrook@aecom.com]
CC: Mora, Rebecca [Rebecca.Mora@aecom.com]; Der Boghosian, Shantal [US] (ES) [Shantal.DerBoghosian@ngc.com]
Subject: RE: submittal of technical reports for Triple Site (AMD 901 Thompson, TRW Microwave, Philips, and Offsite Operable Unit)

If the Board is releasing you from the need for annual reporting I think they have the lead on that (i.e., if they don't requiring uploading to GeoTracker, than neither would EPA). I'll check with EPA legal to see if there is any other feedback I can give.

Michael

From: Holbrook, Holly <Holly.Holbrook@aecom.com>
Sent: Thursday, July 9, 2020 12:06 PM
To: Schulman, Michael <Schulman.Michael@epa.gov>
Cc: Mora, Rebecca <Rebecca.Mora@aecom.com>; Der Boghosian, Shantal [US] (ES) <Shantal.DerBoghosian@ngc.com>
Subject: FW: submittal of technical reports for Triple Site (AMD 901 Thompson, TRW Microwave, Philips, and Offsite Operable Unit)

Michael,

Thank you for meeting with us today. For your records, here is an email we received back in 2014 from the Water Board directing us not to upload documents to Geotracker after the transition to lead agency. Per our conversation, our understanding is that the requirements of the Board order (e.g., annual sampling) must still be fulfilled.

Thank you,

Holly Holbrook

Project Engineer, Environment

AECOM

D: 714.689.7215 M: 562.577.6058

From: Shahbazian, Max@Waterboards <Max.Shahbazian@waterboards.ca.gov>
Sent: Tuesday, September 23, 2014 5:41 PM
To: Brett Stringer (brett.stringer@amd.com) <brett.stringer@amd.com>; Barker, Shau-Luen <ShauLuen.Barker@philips.com>; 'laniemeyer@roadrunner.com' <laniemeyer@roadrunner.com>
Cc: Austin, Tamarin@Waterboards <Tamarin.Austin@waterboards.ca.gov>; Shaffer, Caleb <Shaffer.Caleb@epa.gov> (Shaffer.Caleb@epa.gov) <Shaffer.Caleb@epa.gov>; morash.melanie@epa.gov; Estrada, Thelma (Estrada.Thelma@epa.gov) <Estrada.Thelma@epa.gov>; DIAZ, ALEJANDRO (Diaz.Alejandro@epa.gov) <Diaz.Alejandro@epa.gov>; Cook, George <GCook@valleywater.org>; Lani Lee (Lani.Lee@deh.sccgov.org) (Lani.Lee@deh.sccgov.org) <Lani.Lee@deh.sccgov.org>; Cook, Barbara@DTSC <Barbara.Cook@dtsc.ca.gov>; Gilhuly, Morgan (rmg@bcltlaw.com) <rmg@bcltlaw.com>; Mora, Rebecca <Rebecca.Mora@aecom.com>; PBennett@haleyaldrich.com; lsiegel@cpeo.org; Hawthorne, John (hawthornej@locustec.com) <hawthornej@locustec.com>; Cynthia Wetmore (Wetmore.Cynthia@epamail.epa.gov) <Wetmore.Cynthia@epamail.epa.gov>; Maiden, Todd O. (TMaiden@ReedSmith.com) <TMaiden@ReedSmith.com>; jgarnet@sunnyvale.ca.gov; lkilpatrick@sunnyvale.ca.gov; hhom@sunnyvale.ca.gov; Wolfenden, John@Waterboards <John.Wolfenden@waterboards.ca.gov>; Klaus Rohwer (Klaus.Rohwer@EquipoiseCorp.com) <Klaus.Rohwer@EquipoiseCorp.com>; morash.melanie@epa.gov

Subject: submittal of technical reports for Triple Site (AMD 901 Thompson, TRW Microwave, Philips, and Offsite Operable Unit)

Dear Mr. Stringer, Ms. Barker and Ms. Niemeyer:

On August 7, 2014, the USEPA became the lead agency for the Triple Site (AMD 901 Thompson, TRW Microwave, Philips, and Offsite Operable Unit). The USEPA will now review and approve all technical reports for the Triple Site. The Regional Water Board will no longer review and approve these reports. The Companies should no longer copy the Regional Water Board on these reports and no longer upload these reports to GeoTracker.

Please contact me at (510) 622-4824 or Melanie Morash at the USEPA at (415) 972-3050, if you have any questions on transfer of the Triple Site from the Regional Water Board to the USEPA.

Sincerely,

Max Shahbazian, P.G.

CalEPA

Regional Water Quality Control Board

San Francisco Bay Region

1515 Clay Street, Suite 1400

Oakland, CA 94612